

In the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application

Listing of Claims:

- 1 1. (Currently Amended) A universal collar key for a container that is inserted within a
2 housing of a soap dispenser having a keying system including ~~that has~~ a keyplate with
3 a keyway to receive a complementary shaped collar key associated with an intended
4 container therein, the universal collar key comprising:
 - 5 a) a collar secured ~~adapted to be supported on~~ the container and having a first
6 flange and a second flange extending radially therefrom;
 - 7 b) said flanges being axially spaced from each other to define a clearance for
8 receiving the keyplate therebetween upon insertion of the container, said
9 collar having a keyless surface such that the universal collar key bypasses the
10 keying system of the soap dispenser that is intended for the intended
11 container.
- 1 2. (Original) The universal collar key of Claim 1, wherein said collar has a forward end that
2 is initially inserted into the housing, wherein at least one of said flanges defines a notch
3 at said forward end.
- 1 3. (Original) The universal collar key of Claim 1, wherein said first and second flanges are
2 oriented generally horizontally.
- 1 4. (Original) The universal collar key of Claim 1, wherein at least one of said flanges has
2 a rear portion extending rearward and laterally outward from said collar, whereby said
3 rear portion has an edge engageable with the housing to limit movement of the collar.

- 1 5. (Currently Amended) The universal collar key of Claim 1 further comprising a bore
2 formed in said collar for receiving a portion of the container; and an attachment
3 assembly located about the bore including an attachment member extending axially
4 outward from the collar and having a surface extending radially inward therefrom for
5 engagement with ~~[[a]]~~ the portion of the container.
- 1 6. (Original) The universal collar key of Claim 5, wherein said attachment member further
2 includes a sloped surface that extends radially outward and axially upward from said
3 radially inward extending surface to an edge of said attachment member.
- 1 7. (Original) The universal collar key of Claim 6 further comprising a second radially
2 inward extending surface extending from said collar into said bore and axially spaced
3 from said radially inward extending surface on said attachment member, whereby the
4 portion of the container is held between said surfaces.
- 1 8. (Original) The universal collar key of Claim 1 further comprising a hold formed on the
2 collar.
- 1 9. (Original) The universal collar key of Claim 8, wherein said hold includes a pair of
2 vertically extending tabs extending forwardly from said collar.
- 1 10. (Original) The universal collar key of Claim 1, wherein said collar defines a bore for
2 receipt of a neck of the container, wherein a plurality of spaced tabs extend upwardly
3 from said collar about said bore defining a plurality of notches therebetween for receipt
4 of a projecting portion of the container therebetween.
- 1 11. (Original) The universal collar key of Claim 10, wherein said collar has a leading surface
2 relative to its insertion within the housing, wherein at least one of said plurality of
notches formed between said plurality of tabs is located above said leading surface.

1
2 12. (Previously Presented) A universal collar key used in conjunction with a container for
3 securement of the container within a soap dispenser that has a housing defining a
4 container recess and a receiver having keyplate, the container comprising a hollow body
5 having a necked portion, a locating projection extending rearwardly from said neck
6 portion; and
7 the universal collar key comprising a collar defining a bore, wherein said neck
8 portion is receivable within said bore, a pair of flanges extending rearwardly from said
9 collar and axially spaced from each other for receipt of the keyplate therebetween, and
10 a notch for receiving said locating projection on said container formed in said collar,
11 whereby insertion of said locating projection within said notch aligns the container
12 relative to a universal collar key.

1 13. (Original) The container and universal collar key of Claim 12, wherein the universal
2 collar key is attached by snap-fitting said collar to said neck portion of the container.

1 14. (Canceled)

1 15. (Canceled)

1 16. (Currently Amended) A universal collar key for a container that is inserted within a
2 housing of a soap dispenser that has a keyplate therein, the universal collar key
3 comprising:

- 4 a) a collar ~~adapted~~ secured to ~~be supported on~~ the container, said collar having
5 a first flange and a second flange extending a least forwardly from said collar
6 toward the keyplate;
7 b) said flanges being axially spaced from each other to receive the keyplate
8 therebetween upon insertion of the container; and
9 c) at least one rearwardly ~~projection~~ projecting hold ~~adapted to prevent~~

10 preventing rotation of said collar once inserted in the housing.

1 17. (Canceled)